



**7 YEAR
WARRANTY**

**HIGH
EFFICIENCY**

**THINK LUMENS NOT WATTS
LOWER ENERGY - SAME LUMENS**

Colour options:




Black White

SKU	Watts	lm/W	Lumens	Colour	Beam
4"					
AA-DLNWS4-CS*	5W / 6W / 7W / 8W	up to 113	510lm - 900lm	3000K / 4000K	60°
6"					
AA-DLNWS6-CS*	6W / 8W / 10W / 12W / 13W	up to 123	650lm - 1600lm	3000K / 4000K	60°
8"					
AA-DLNWS8-CS*	10W / 12W / 15W / 17W / 20W	up to 125	1100lm - 2500lm	3000K / 4000K	60°
10"					
AA-DLNWS10-CS*	18W / 20W / 22W / 25W / 30W	up to 135	2160lm - 4100lm	3000K / 4000K	60°

*Add suffix **W** or **BLK** for White or Black finish

Triac, Dali, 1-10V dimmable & EM options available, contact sales office for more information

Line Drawing



AA-DLNWS4-CS (4")

(H) 65mm Height
(OD) 115mm Overall (Ø)
(CO) 90-95mm Cutout (Ø)

AA-DLNWS8-CS (8")

(H) 97mm Height
(OD) 190mm Overall (Ø)
(CO) 160-170mm Cutout (Ø)

AA-DLNWS6-CS (6")


(H) 77mm Height
(OD) 145mm Overall (Ø)
(CO) 120-130mm Cutout (Ø)

AA-DLNWS10-CS (10")


(H) 111mm Height
(OD) 235mm Overall (Ø)
(CO) 200-210mm Cutout (Ø)

Polar Curves


8W 4000K 60°




900lm Lumens




20W 4000K 60°




2500lm Lumens




13W 4000K 60°




1600lm Lumens



30W 4000K 60°



4100lm Lumens



Product Features:

- Colour temperature can be switched between 3000K and 4000K
- Wattage selectable
- Designed for a variety of applications, ideal for retrofit solutions with a wide range of cutouts available
- Delivering up to 135lm/W
- Flicker free
- Low UGR reflector
- 1.5kV surge protection

Product Specification:

Installation Type	Recessed
Input Voltage	220 - 240V
Luminaire Materials	Aluminium
Lifetime	50,000
CRI	80
IK Rating	IK03
IP Rating	IP54
Warranty	7 Years

Warranty:

This product has a warranty period of 7 Years. Warranties may be available on certain products as indicated in the product description. Warranties are valid from the date of purchase. The warranty is invalid in the case of improper use, installation, tampering, removal of the Q.C. date label or installation in an improper working environment or installation. Should this product fail during the warranty period it will be replaced free of charge, subject to the correct installation of the original product and subsequent return of the faulty unit. Aurora does not accept responsibility for any installation costs associated with the replacement of this product and Aurora reserve the right to alter.